



भाकृअनुप-राष्ट्रीय केला अनुसंधान केंद्र
(भारतीय कृषि अनुसंधान परिषद)
थोगमलै रोड थायनूर पोस्ट
तिरुचिरापल्लि - ६२० १०२, तमिलनाडु

ICAR - National Research Centre for Banana
(Indian Council of Agricultural Research)
Thogamalai Road, Thayanur P.O.
Tiruchirapalli - 620 102, Tamil Nadu, India



F.No.28(1)/2017-18-SP/ 4165-4170

Dated : 06.10.2017

To

Sir/s,

Quotations are invited by the Director, ICAR - NRC for Banana, Trichy, for the supply of the "Drip irrigation" materials furnished in Annexure - A & B.

1. Quotations should be inclusive of all charges towards packing, forwarding, Insurance, freight etc. Quotations exclusive of packing and freight charges etc. should indicate the amount that shall be charged on this account.
2. Complete descriptions, specifications and make of the goods should be given in the quotations. Rate per unit should also be given precisely and delivery period clearly mentioned.
3. **THE FIRM SHOULD INVARIABLY QUOTE THE TIN, CST NO. ETC. GST Registration Number ON THE BODY OF THE LETTERHEAD IN WHICH THE QUOTATION IS SENT, IF NOT QUOTATION WILL BE REJECTED.**
4. The quotation should be F.O.R. destination and should be kept open for 180 days from the date of quotations. Delivery at the Institute premises at NRCB Office Cum Laboratory Building, Near Thayanur Santhai, Thogamalai Road, Tiruchirappalli-620102/NRCB Research Farm Podavur Village, Inampuliyur Post, Via Kuzhumani, Tiruchirapalli - 639 403 (Tamil Nadu) is preferable.
5. The quotations should be addressed in the name of "**DIRECTOR, NATIONAL RESEARCH CENTRE FOR BANANA, Near Thayanur Santhai, Thayanur Post, Thogamalai Road, Tiruchirapalli - 620 102 (T.N.)**", and should **LATEST by 16.10.2017 by 3.00PM**, in a sealed cover superscribing "**QUOTATIONS FOR THE SUPPLY OF Drip Irrigation Materials**".

The right to accept or to reject all or any of the quotation in part or full is reserved.

NOTE : You are requested to send your quotations through "SPEED POST" only and not through "Courier service".

Yours faithfully,

Asst. Admn. Officer

Copy to:-

1. Chairperson (SPAC)
2. The Chairman (PMEC) - for uploading in NRCB Website.
3. The Nodal Officer (CPPP) - for uploading in CPP Portal.
4. PS to Director

Mrc CST
M. upload
R. g. l. m. f.

Annexure - A

Sl. No.	DESCRIPTION OF ITEM	UNIT	QTY
1	SuperFlowfilter50M ³ /HR3"Disc	Nos	1
2	Ventry withSuctionassembly1.5"	Nos	1
3	ControlValve90mm	Nos	1
4	ServiceSaddle90xI"	Nos	1
5	PVCAirRelease ValveI"MaleSu	Nos	1
6	PressureGaugeGlycerinFilled2"Dial	Nos	1
7	PressuregaugeAdaptor	Nos	1
8	PVCPipe90mm(4Kg/Sq.cm)	Mts	66
9	PVCPipe63mm(6Kg/SQ.cm)	Mts	36
10	ControlValve63mm	Nos	1
11	FlushValve63mm	Nos	1
12	SolventCement	Nos	1
13	DripLateral16mm	Mts	50
14	J-Turboline16-4-30-cl2	Mts	800
15	PolyGrommettakeoff16X13mm	Nos	40
16	RingJoiner16mm	Nos	40
17	EndStop16mm	Nos	40
18	FTA90mm	Nos	2
19	FTA50mm	Nos	2
20	Tee90mm	Nos	4
21	Reducers90x63mm	Nos	1
22	Reducers90x50mm	Nos	2
23	Elbow90mm	Nos	5
24	Elbow63mm	Nos	5
25	Elbow50mm	Nos	2
26	Pipe50mm	Mtr	1
27	Chellack	Nos	1
28	TeflonTape	Nos	1
29	Thread	Nos	1

Annexure - B**DRIP IRRIGATION materials for DOUBLE LINE**

SLNo	DESCRIPTION OF ITEM	UNIT	QTY
1.	Flow filter 50M ³ /HR 3"Disc	Nos	1
2.	Ventry with Suction assembly 1.5"	Nos	1
3.	Control Valve 90mm	Nos	1
4.	Service Saddle 90x 1"	Nos	1
5.	PVC Air Release Valve 1" Male Su	Nos	1
6.	Pressure Gauge Glycerin Filled 2" Dial-	Nos	1
7.	Pressure gauge Adaptor	Nos	1
8.	PVC Pipe 90mm (4Kg/Sq.cm)	Mts	48
9.	PVC Pipe 63mm (6Kg/Sq.cm)	Mts	66
10.	Control Valve 63mm	Nos	3
11.	Flush Valve 63mm	Nos	3
12.	Solvent Cement	Nos	1
13.	Drip Lateral 16mm	Mts	100
14.	J-Turboline 16-4-30-cl2	Mts	3200
15.	Poly Grommet take off 16 X 13mm	Nos	130
16.	Ring Joiner 16 mm	Nos	130
17.	End Stop 16 mm	Nos	130
18.	Elbow 16 mm	Nos	130
19.	FTA 90 mm	Nos	2
20.	FTA 50 mm	Nos	2
21.	Tee 90 mm	Nos	5
22.	Reducers 90 x 63mm	Nos	3
23.	Reducers 90 x 50mm	Nos	2
24.	Elbow 90mm	Nos	5
25.	Elbow 63mm	Nos	13
26.	Elbow 50mm	Nos	2
27.	Pipe 50mm	Mts	1
28.	Chellack	Nos	1
29.	Teflon Tape	Nos	1
30.	Thread	Nos	1